

Product Data Sheet

Description

Nexus Power Flushing Oil is a special solvent-free, detergent/dispersant chemistry oil system cleaner, designed to assist in the removal of soft sludge, deposits and rust during oil changes. It is formulated from low viscosity base oils and an effective detergent package

Applications

Nexus Power Flushing Oil is specially designed to clean industrial machines and equipment including gear boxes, knitting machines and needles, heat transfer systems, chain conveyor, etc., being compatible to both mineral and synthetic oils. It is also suitable to be used with cleaning chemicals which compatible with lubricants

Benefits

- Formulated with low viscosity lubricant to enhance detergent formula, the quick circulation of flushing oil enables the impurities to drain and simultaneously keeps them in suspense
- Solvent-free chemistry to possibly carry over of flushing oil into the fresh oil by not affecting lubricating properties.

Product Data Sheet

	POWER22	POWER46
ISO Viscosity Grade, ASTM D 2442	22	46
Kinematic Viscosity @ 40°C/104°F, ASTM D 445	22	46
Kinematic Viscosity @ 100°C/212°F, ASTM D 445	4.12	6.23
Viscosity Index, ASTM D 2270	>100	>100
Flash Point, ASTM D 92, COC, °C/°F	>200/392	>200/392
Pour Point, ASTM D 97, °C/°F	-9/15.8	-9/15.8

*Subject to usual manufacturing tolerances

Nexus Power Flushing Oil

20 Mar 2024

Nexus, the Nexus logo, and related marks are trademarks of Nexus Limited, used under license.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either Nexus or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.